

Junicode, v. 0.6.5

Table of Contents

What is Junicode?.....	2
GNU General Public License.....	3
How the GNU General Public License Applies to Junicode.....	11
How to install Junicode.....	12
1. Microsoft Windows.....	12
2. Macintosh OS X.....	12
3. Linux.....	12
Reading the Code Charts.....	12
Basic Latin (0000-007F).....	14
Latin 1 Supplement (0080-00FF).....	15
Latin Extended A (0100-017F).....	16
Latin Extended B (0180-024F).....	17
IPA Extensions (0250-02AF).....	18
Spacing Modifier Letters (02B0-02FF).....	19
Combining Diacritical Marks (0300-036F).....	20
Greek and Coptic (0370-03FF).....	21
Georgian (10A0-10FF).....	22
Runic (16A0-16FF).....	23
Phonetic Extensions (1D00-1D7F).....	24
Latin Extended Additional (Part A, 1E00-1E7F).....	25
Latin Extended Additional (Part B, 1E80-1EFF).....	26
General Punctuation (2000-206F).....	27
Superscripts and Subscripts (2070-209F).....	28
Currency Symbols (20A0-20CF).....	29
Combining Diacritical Marks for Symbols (20D0-20FF).....	30
Letterlike Symbols (2100-214F).....	31
Number Forms (2150-218F).....	32
Mathematical Operators (2200-22FF).....	33
Miscellaneous Technical (2300-23FF).....	34
Enclosed Alphanumerics (2460-24FF).....	35
Geometric Shapes (25A0-25FF).....	36
Dingbats (2700-27BF).....	37
Miscellaneous Mathematical Symbols-A (27C0-27EF).....	38

Private Use Area.....	39
1. Ligatures.....	39
2. Small Capitals.....	39
3. Enlarged Minuscules.....	40
4. Baseline Abbreviation Characters.....	41
5. Modified Baseline Abbreviation Characters.....	41
6. Combining Marks.....	42
7. Combining Superscript Characters.....	43
8. Punctuation Marks.....	44
9. Critical and epigraphical signs.....	44
10. Metrical symbols.....	44
11-14. Reserved.....	45
15. Characters with macron or overline.....	45
16. Characters with acute accent.....	45
17. Characters with double acute accent.....	46
18. Characters with dot above.....	46
19. Characters with dot below.....	46
20. Characters with diaeresis.....	47
21. Characters with hook above.....	47
22. Characters with ogonek.....	47
23. Characters with breve.....	47
24. Characters with macron and breve.....	47
25. Characters with macron and acute.....	48
26-29. Reserved.....	49
30. Nordic.....	49
31. English.....	50
Acknowledgments.....	51

What is Junicode?

Junicode is a family of fonts designed especially for use by scholars who work with western medieval languages. However, since it aims to include all Unicode Latin script characters, it is useful to scholars and others working with a wide variety of languages. Junicode is based on a typeface used at the Clarendon Press in the seventeenth and early eighteenth centuries: more specifically, the basic characters in the regular style are taken from George Hickes, *Linguarum vett. septentrionalium thesaurus grammatico-criticus et archaeologicus* (1703-05); additional characters are designed to be consistent with those in Hickes. The

italic style is a new design inspired partly by the italics in Hickes.

In the Private Use Area, Junicode contains a number of characters that are of particular interest to medievalists. The fonts partially implements the Medieval Unicode Font Initiative standard (<http://gandalf.aksis.uib.no/mufi/>); a future release will implement the standard completely.

Junicode is made available under the Gnu General Public License. This means that you can obtain the source code for Junicode and that you are free to adapt it for your own purposes and even distribute your adapted version to others, as long as you allow them the same freedom to adapt your font that you have with Junicode. For further details, see the next two sections.

GNU General Public License

Version 2, June 1991

Copyright © 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software—to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the

notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code,

which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not

responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and “any later version”, you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose

distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is

found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.

This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items—whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a “copyright disclaimer” for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to

permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

How the GNU General Public License Applies to Junicode

The GPL is intended to protect conventional software programs. Fonts are something of a special case, for several reasons.

First, the GPL requires that “source code” be distributed or made available whenever a program is distributed. For a TrueType font, however, the notion of “source code” is problematic. The specifications for TrueType and OpenType fonts have nothing to say about source code; rather, they define binary formats exclusively. Every competent font editor can read binary font files that conform to these specifications, and so you don't really need “source code” if you want to modify Junicode. In a TrueType font, it is possible to set a flag to signal that the font may not be edited. In keeping with the spirit of the GPL, **you must not set this flag. You must permit your modification of Junicode to be modified in its turn.** You may obtain the source files for Junicode, but you are not required to distribute source files when you redistribute Junicode or a modification of it.

Second, the manner in which a font is distributed may differ from that of a conventional program. Specifically, portions of a font, rather than the whole thing, may be embedded in a PDF document. It is unclear whether the various tools that produce PDF documents embed the font's copyright notice along with the font itself. Nothing in the GPL should be construed as prohibiting the embedding of a font in a PDF document. The font should always be marked “embeddable.” The developer of Junicode does not hold that the relationship between a font and the PDF document in which it is embedded is the same as that between a subroutine library and a program in which it is incorporated. Your using Junicode does not restrict the licensing of your PDF file. On this point the developer of Junicode speaks only for himself and not for other font developers.

Third, if you intend to edit Junicode you need to be aware that some font editors may insert program code that is incompatible with the GPL into a font. This is not true of FontForge, the program used to develop Junicode; it is certainly not true of Xgridfit, the GPL language compiler used to “hint” the font. But FontLab appears to insert a library of its own code into fonts that it “autohints” or that are hinted by its graphical hinter. The developer of Junicode has been unable to ascertain the legal status of this code, which may be incompatible with the GPL. **If you intend to use FontLab or another proprietary tool (such as Microsoft's VTT) for hinting, you should first make sure that doing so will not violate the GPL.** Contact the vendor of the tool you want to use if you are in doubt. Do not direct such questions to the developer of Junicode.

How to install Junicode

1. Microsoft Windows

Extract the contents of the Junicode archive to a new folder using a utility such as WinZip. Click on the “Start” button and select “Control Panel.” Click on “Appearance and Themes”; then, in the left-hand panel, under “See also,” click “Fonts.” The Fonts folder will now open. Drag the Junicode font files (they have “TT” on the icon) into this folder, and then close it.

2. Macintosh OS X

Fonts can be installed via the operating system or via any of several utilities. For details, see this page: <http://www.paratype.com/help/finst/mac-os-x.asp>

3. Linux

This will work for most modern Linux distributions:

```
su
cd /usr/share/fonts
mkdir junicode
cp /path/to/fonts/Junicode*.ttf junicode
fc-cache junicode
exit
```

But some distributions include graphical ways to install fonts in a local account. See your system’s documentation for more detailed instructions.

Reading the Code Charts

Unicode characters are assigned to “code points” numbered sequentially from zero. Numbers for code points are hexadecimal (base-16), rather than decimal (base-10). Hexadecimal digits are 0123456789ABCDEF (rather than the usual 0123456789). By convention, Unicode code points are expressed in four digits: thus the **þ** is at code point 00FE (often written U+00FE), for which the decimal equivalent is 254.

The Unicode character set is divided into “ranges,” each devoted to a script or subset of a script. The first two ranges (“Basic Latin” and “Latin 1 Supplement”) correspond to the standard “ASCII” character set along with the “upper register” characters commonly used on computers running Microsoft Windows and some other operating systems. Unfortunately, it is likely that the characters you need will not be found together in a single range. The characters most commonly used to print Old English texts, for example,

are scattered through the “Basic Latin,” “Latin 1 Supplement,” “Latin Extended A” and “Latin Extended B” ranges, with additional useful characters in “General Punctuation” and elsewhere.

In the following pages, each Unicode range is presented in a table with the first three digits of the code point across the top and the last digit down the left-hand side. The ꝥ (U+00FE), for example, is in the “Latin 1 Supplement” table in the column labeled “00F” and the row labeled “E.”

In these tables, code points assigned by the Unicode Consortium but not used in Junicode are left blank. Code points not assigned by the Unicode Consortium (as of Unicode 4.1), or representing control codes used by applications but not present in fonts, are gray (■). Code points selected by the Medieval Unicode Font Initiative for inclusion in MUF1-compliant fonts are blue-gray (this feature can help you to spot characters of interest to medievalists). Deprecated code points (those that remain in the Junicode “Private Use Area” for compatibility with earlier versions, though better code points are now available) are yellow, and a note points out the code point that should be used instead.

Basic Latin (0000-007F)

Junicode implements all characters in the Unicode Basic Latin range.

	000	001	002	003	004	005	006	007
0			space	0	@	P	`	p
1			!	1	A	Q	a	q
2			"	2	B	R	b	r
3			#	3	C	S	c	s
4			\$	4	D	T	d	t
5			%	5	E	U	e	u
6			&	6	F	V	f	v
7			'	7	G	W	g	w
8			(8	H	X	h	x
9)	9	I	Y	i	y
A			*	:	J	Z	j	z
B			+	;	K	[k	{
C			,	<	L	/	l	
D			-	=	M]	m	}
E			.	>	N	^	n	~
F			/	?	O	_	o	del

Latin 1 Supplement (0080-00FF)

Junicode implements all characters in the Unicode Latin 1 range.

	008	009	00A	00B	00C	00D	00E	00F
0			nbsp	°	À	Ð	à	ð
1			¡	±	Á	Ñ	á	ñ
2			¢	²	Â	Ò	â	ò
3			£	³	Ã	Ó	ã	ó
4			¤	´	Ä	Ô	ä	ô
5			¥	µ	Å	Õ	å	õ
6			¦	¶	Æ	Ö	æ	ö
7			§	·	Ç	×	ç	÷
8			¨	¸	È	Ø	è	ø
9			©	¹	É	Ù	é	ù
A			ª	º	Ê	Ú	ê	ú
B			«	»	Ë	Û	ë	û
C			¬	¼	Ì	Ü	ì	ü
D			shy	½	Í	Ý	í	ý
E			®	¾	Î	Þ	î	þ
F			-	¿	Ï	ß	ï	ÿ

nbsp = non-breaking space

shy = soft hyphen

Latin Extended A (0100-017F)

Junicode implements all characters in the Unicode Latin Extended A range.

	010	011	012	013	014	015	016	017
0	Ā	Ð	Ġ	Ī	Ʀ	Ŏ	Š	Ů
1	ā	đ	ġ	ī	ƣ	ó	š	ů
2	Ǻ	Ē	Ģ	IJ	ł	Œ	Ŧ	Ū
3	ǻ	ē	ģ	ij	ń	œ	ț	ұ
4	Ǽ	Ĕ	Ĥ	Ĵ	ń	ŕ	ţ	ŵ
5	ǻ	ē	ĥ	ĵ	ņ	ŕ	ț	ŵ
6	Ć	Ė	Ħ	Ꞥ	ņ	Ŗ	Ʀ	Ŷ
7	ć	ė	ħ	ꞥ	ň	ŗ	ț	ŷ
8	Ĉ	Ɛ	Ī	κ	ň	Ř	Ū	Ÿ
9	ĉ	ɛ	ī	ł	ň	ř	ū	ý
A	Ċ	Ě	Ĭ	í	Ņ	Ś	Ŭ	ź
B	ċ	ě	ĭ	ł	ņ	ś	ŭ	ż
C	Č	Ĝ	Ĭ	ı	Ō	Ŝ	Ů	ž
D	č	ĝ	ĳ	ł	ō	ŝ	ů	ž
E	Ǳ	Ǵ	ǿ	Ʀ	Ŏ	Ş	Ű	ž
F	ǲ	ǵ	ǿ	ƣ	ő	ş	ű	ƒ

Latin Extended B (0180-024F)

Unicode implements Latin Extended B (as in Unicode 4.0) in the Regular style. Italic, Bold and Bold Italic contain selected characters from this range.

	018	019	01A	01B	01C	01D	01E	01F	020	021	022	023	024
0	ƒ	ε	Ɔ	υ	l	ı	Ā	ƶ	Ä	Ř	ŋ	Ö	
1	Ɓ	Ƒ	σ	Ʈ	ll	Ǿ	ā	DZ	à	ř		ö	
2	Ɓ	ƒ	Ɔł	Ʈ	†	ǿ	Ā	Dz	Â	Ŕ	8	Ȳ	
3	Ɓ	ƒ	Ɔł	Ʈ	!	Ǿ	ā	dz	â	ŕ	8	ȳ	
4	Ɓ	Ƒ	Ɔ	Ʈ	DŽ	ǿ	Ā	Ġ	È	Û	Z		
5	Ɓ	Ƒ	Ɔ	Ʈ	Dž	ǿ	Ā	Ġ	È	Û	Z		
6	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
7	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
8	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
9	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
A	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
B	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
C	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
D	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
E	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		
F	Ɔ	l	Ř	z	dž	ū	Ĝ	Ĥ	Ê	Û	À		

IPA Extensions (0250-02AF)

Junicode implements IPA Extensions (as in Unicode 4.0) in the Regular style. These characters are also present in Italic, but slanted rather than true italic.

Though MUF1 recommends using some of these characters where small caps are required, it is not recommended that you do so with Junicode, since these “small caps” are sized to harmonize with lower-case characters. Rather, consider using the small caps in the subrange used for that purpose by fonts from Adobe (starting at U+F761). Some OpenType-aware applications may automatically use characters from this subrange when small caps are requested.

	025	026	027	028	029	02A
0	ɐ	ɡ	ɥ	ʀ	ʁ	ɸ
1	ɑ	ɠ	ɱ	ɛ	ʐ	ʑ
2	ɒ	ɔ	ɹ	ʂ	ʐ	ɸ
3	ɓ	ɣ	ɳ	ʃ	ʒ	ɟ
4	ɔ̥	ɣ̥	ɳ̥	ʃ̥	ʒ̥	ɟ̥
5	ɛ̥	ɥ̥	ə̥	ɹ̥	ʃ̥	ɟ̥
6	ɟ̥	ɦ̥	æ̥	ʃ̥	ʒ̥	ɸ̥
7	ɟ̥	ɦ̥	ω̥	ɹ̥	ʃ̥	ɟ̥
8	ɔ̥	ɪ̥	ɸ̥	ɹ̥	ʃ̥	ɸ̥
9	ɔ̥	ɪ̥	ɹ̥	ɸ̥	ʒ̥	ɦ̥
A	ɔ̥	ɪ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥
B	ɛ̥	ɟ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥
C	ɔ̥	ɟ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥
D	ɔ̥	ɟ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥
E	ɔ̥	ɟ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥
F	ɟ̥	ɟ̥	ɹ̥	ʃ̥	ʒ̥	ɸ̥

Spacing Modifier Letters (02B0-02FF)

Junicode implements Spacing Modifier Letters (as in Unicode 4.0) in the Regular style.

Several of these are accents found in medieval texts; but most users will find characters from the Combining Diacritical Marks range to be more useful when precomposed characters are unavailable.

	02B	02C	02D	02E	02F
0	h	?	:	ŷ	
1	fi	ƒ	.	l	
2	j	<	›	s	
3	r	>	¢	x	
4	Ł	^	±	ƒ	
5	ł	∨	τ	⌋	
6	ʁ	^	+	⌋	
7	w	∨	±	⌋	
8	y	'	˘	⌋	
9	'	-	·	⌋	
A	”	'	◦	Ł	
B	‘	\	¢	Ł	
C	’	,	˘	∨	
D	‘	-	”	=	
E	›	˘	˘	”	
F	‘	˘	×		

Combining Diacritical Marks (0300–036F)

Junicode implements Combining Diacritical Marks (as in Unicode 4.0) in the Regular style. The other styles contain a selection of these marks. Combining marks should always follow the base character (here “o” for illustrative purposes). In proportional fonts (like Junicode), combining marks may not be positioned correctly over the base. Junicode Regular contains OpenType features for positioning marks, but these features are supported by relatively few software applications.

	030	031	032	033	034	035	036
0	ò	õ	ƚ	ƚ		õ	õõ
1	ó	ô	ƚ	ƚ		ó	õõ
2	ô	ó	ƚ	ƚ	õ	ô	õõ
3	õ	ò	ƚ	ƚ	ò	ƚ	õ
4	õ	ò	ƚ	ƚ	õ	ƚ	õ
5	õ	ò	ƚ	ƚ	ƚ	ƚ	õ
6	õ	ƚ	ƚ	ƚ	õ	ƚ	õ
7	ò	ƚ	ƚ	ƚ	ƚ	ò	õ
8	õ	ƚ	ƚ	ƚ	ƚ		õ
9	ò	ƚ	ƚ	ƚ	ƚ		õ
A	õ	õ	ƚ	ƚ	õ		õ
B	õ	õ	ƚ	ƚ	õ		õ
C	õ	ƚ	ƚ	ƚ	õ		õ
D	ó	ƚ	ƚ	õ	ƚ	õõ	õ
E	õ	ƚ	ƚ	ò	ƚ	õõ	õ
F	õ	ƚ	ƚ	õ		õõ	õ

Georgian (10A0-10FF)

Only one character (a punctuation mark sometimes found in medieval texts) is implemented from Georgian script.

	10A	10B	10C	10D	10E	10F
0						
1						
2						
3						
4						
5						
6						
7						
8						
9						
A						
B						⋮
C						
D						
E						
F						

Runic (16A0-16FF)

Junicode implements the Unicode Runic range (16A0-16FF) in both regular and italic styles.

	16A	16B	16C	16D	16E	16F
0	𐌲	𐌳	𐌴	𐌵	𐌶	𐌷
1	𐌸	𐌹	𐌺	𐌻	𐌼	
2	𐌽	𐌾	𐌿	𐍀	𐍁	
3	𐍂	𐍃	𐍄	𐍅	𐍆	
4	𐍇	𐍈	𐍉	𐍊	𐍋	
5	𐍌	𐍍	𐍎	𐍏	𐍐	
6	𐍑	𐍒	𐍓	𐍔	𐍕	
7	𐍖	𐍗	𐍘	𐍙	𐍚	
8	𐍛	𐍜	𐍝	𐍞	𐍟	
9	𐍠	𐍡	𐍢	𐍣	𐍤	
A	𐍥	𐍦	𐍧	𐍨	𐍩	
B	𐍪	𐍫	𐍬	𐍭	·	
C	𐍮	𐍯	𐍰	𐍱	:	
D	𐍲	𐍳	𐍴	𐍵	+	
E	𐍶	𐍷	𐍸	𐍹	†	
F	𐍺	𐍻	𐍼	𐍽	‡	

Phonetic Extensions (1D00-1D7F)

Junicode implements Phonetic Extensions (as in Unicode 4.0) in the Regular style.

Though MUF1 recommends using some of these characters where small caps are required, it is not recommended that you do so with Junicode, since these “small caps” are sized to harmonize with lower-case characters. Rather, consider using the small caps in the subrange used for that purpose by fonts from Adobe (starting at U+F761). Some OpenType-aware applications may automatically use characters from this subrange when small caps are requested.

	1D0	1D1	1D2	1D3	1D4	1D5	1D6	1D7
0	À	Á	Â	Ä	Å	æ	ø	
1	Æ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
2	Ɔ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
3	æ	ø	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
4	Ɔ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
5	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
6	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
7	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
8	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
9	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
A	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
B	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
C	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
D	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
E	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	
F	Ǝ	◊	Ƶ	Ǝ	Ɔ	ɱ	ɰ	

Latin Extended Additional (Part A, 1E00-1E7F)

Latin Extended Additional is completely implemented in the Regular style.

	1E0	1E1	1E2	1E3	1E4	1E5	1E6	1E7
0	À	Ā	Ġ	Ķ	Ṁ	Ò	Š	Ṭ
1	ą	ǻ	ǧ	ķ	ṁ	ò	š	ṭ
2	Ĕ	Ā̄	Ĥ	Ḷ	Ṃ	Ó	Ş	Ṱ
3	Ḃ	ǻ̄	ḥ	ḷ	ṃ	ó	ş	ṱ
4	Ḅ	È	Ḧ	Ḹ	Ṅ	Ó̇	Ṧ	Ṳ
5	ḅ	è	Ḧ̄	ḹ	ṅ	ó̇	ṧ	ṳ
6	Ḇ	É	Ḩ	Ṁ̄	Ṇ	Ó̈	Š̈	Ṵ
7	ḇ	é	Ḩ̄	ṁ̄	ṇ	ó̈	š̈	ṵ
8	Ĉ	Ě	Ḭ	Ṃ̄	Ṉ	Ŕ	Ş̇	Ṷ
9	ĉ	ě	Ḭ̄	ṃ̄	ṉ	ŕ	ş̇	ṷ
A	Ď	Ě̄	Ḭ̈	Ṁ̈	Ṇ̄	Ŗ	Ṭ̇	Ṹ
B	ď	ě̄	Ḭ̈̄	ṁ̈̄	ṇ̄	ŗ	ṭ̇	ṹ
C	Ḍ	Ě̈	Ḭ̈̈	Ṃ̈̈	Ó̈̈	Ř	Ṭ̈̈	Ṻ
D	ḍ	ě̈	Ḭ̈̈̄	ṃ̈̈̄	ó̈̈̄	ř	ṭ̈̈̄	ṻ
E	Ḑ	Ḟ	Ĭ	Ṁ̇	Ö	Ŗ̇	Ṭ̇	Ṽ
F	ḑ	ḟ	ĭ	ṁ̇	ö	ŗ̇	ṭ̇	ṽ

Latin Extended Additional (Part B, 1E80-1EFF)

	1E8	1E9	1EA	1EB	1EC	1ED	1EE	1EF
0	Ẁ	Ẑ	Ạ	À	È	Ó	Õ	Ụ
1	ẁ	ẑ	ạ	à	è	ó	õ	ụ
2	Ẃ	Ẓ	Ả	Ả	Ê	Ò	Ọ	Ỳ
3	ẃ	ẓ	ả	ả	ê	ò	ọ	ỳ
4	Ẅ	Ẕ	Á	Ă	Ë	Ố	Ư	Ỵ
5	ẅ	ẕ	á	ă	ë	ố	ư	ỵ
6	Ẇ	ħ	À	Ă	Ê	Õ	Ù	Ỳ
7	ẇ	ħ	à	ă	ê	õ	ù	ỳ
8	ẘ	ẖ	Ả	È	Ì	Ô	Ú	Ỹ
9	ẙ	ẙ	ả	ẹ	ì	ô	ú	ỹ
A	Ẋ	à	Ã	È	Ị	Ó	Ù	
B	ẋ	á	ã	è	ị	ó	ù	
C	Ẍ		Â	Ë	Ọ	Ò	Ù	
D	ẍ		â	ë	ọ	ò	ù	
E	Ỳ		Á	É	Ỏ	Ỏ	Ū	
F	ỳ		á	é	ỏ	ỏ	ū	

General Punctuation (2000-206F)

Unicode implements most of the characters in this range. One MUFI character (at 200B) is missing.

	200	201	202	203	204	205	206
0	nqsp	-	†	%o	˘	◌	
1	mqsp	-	‡	%oo	˙	*	
2	ensp	—	•	'	**	%	
3	emsp	—	▶	"	-		
4	3msp	—	.	'''	/		
5	4msp	—	..	`	[
6	6msp		...	``]		
7	fsp	=	.	""	??	'''	
8	psp	‘		^	?!		
9	thsp	’		<	!?		
A	hsp	,		>]		
B		‘		⌘	⒫		
C		“		!!	◼		
D		”		!	◼		
E		”		—	*		
F		“	nnbsp	˘	˙		

nqsp = en quad

mqsp = em quad

ensp = en space

emsp = em space

3msp = three-per-em space

4msp = four-per-em space

6msp = six-per-em space

fsp = figure space (the width of a digit)

psp = punctuation space

thsp = thin space (one fifth of an em)

hsp = hair space

2010 = hyphen

2011 = non-breaking hyphen

2012 = figure dash

2013 = en dash

2014 = em dash

2015 = horizontal bar or quotation dash

nnbsp = narrow non-breaking space

Superscripts and Subscripts (2070-209F)

Junicode implements most of the characters in this range.

	207	208	209
0	0	0	
1	i	1	
2		2	
3		3	
4	4	4	
5	5	5	
6	6	6	
7	7	7	
8	8	8	
9	9	9	
A	+	+	
B	-	-	
C	=	=	
D	((
E))	
F	n		

Superscript 1, 2 and 3 may be found in the “Latin 1 Supplement” range.

Currency Symbols (20A0-20CF)

Junicode implements only one character, the Euro sign

Combining Diacritical Marks for Symbols (20D0-20FF)

Junicode implements only one character from this range.

	20D	20E	20F
0			
1			
2			
3			
4			
5			
6			
7			
8			
9			
A			
B			
C			
D	○		
E			
F			

Letterlike Symbols (2100-214F)

Junicode implements two characters from this range, for compatibility with older fonts.

	210	211	212	213	214
0					
1					
2			™		
3					
4					
5					
6			Ω		
7					
8					
9					
A					
B					
C					
D					
E					
F					

Number Forms (2150-218F)

Junicode implements the entire range in the Regular style.

	215	216	217	218
0		I	i	Ⓒ
1		II	ii	Ⓓ
2		III	iii	Ⓔ
3	$\frac{1}{3}$	IV	iv	Ⓕ
4	$\frac{2}{3}$	V	v	
5	$\frac{1}{5}$	VI	vi	
6	$\frac{2}{5}$	VII	vii	
7	$\frac{3}{5}$	VIII	viii	
8	$\frac{4}{5}$	IX	ix	
9	$\frac{1}{6}$	X	x	
A	$\frac{5}{6}$	XI	xi	
B	$\frac{1}{8}$	XII	xii	
C	$\frac{3}{8}$	L	l	
D	$\frac{5}{8}$	C	c	
E	$\frac{7}{8}$	D	d	
F	$\frac{1}{4}$	M	m	

Mathematical Operators (2200-22FF)

Junicode implements a few of these symbols for compatibility with standard Windows and Macintosh fonts. Three characters here are selected by MUFI; Junicode lacks one of these, at 2234. The following table omits empty columns in this range.

	220	221	222	223	224	226
0						≠
1		Σ				
2	∂	–				
3						
4						≤
5						≥
6	Δ					
7						
8					≈	
9						
A		√				
B			∫	≈		
C						
D						
E		∞				
F	Π					

Miscellaneous Technical (2300-23FF)

The angle brackets in this range (similar to those commonly used as editorial signs) are deprecated and should not be used. Instead use U+27E8 and U+27E9 in the “Miscellaneous Mathematical Symbols-A” range.

	232
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	⟨
A	⟩
B	
C	
D	
E	
F	

Enclosed Alphanumerics (2460-24FF)

This range is implemented in the Regular style only. Numbers to complete the series ①-⑳ may be found in the “Dingbats” range.

	246	247	248	249	24A	24B	24C	24D	24E	24F
0	①	⑰	(13)	9.	(e)	(u)	Ⓚ	ⓐ	Ⓠ	⑯
1	②	⑱	(14)	10.	(f)	(v)	Ⓛ	ⓑ	Ⓡ	⑰
2	③	⑲	(15)	11.	(g)	(w)	Ⓜ	ⓒ	Ⓢ	⑱
3	④	Ⓣ	(16)	12.	(h)	(x)	Ⓝ	ⓓ	Ⓣ	⑲
4	⑤	(1)	(17)	13.	(i)	(y)	Ⓞ	ⓔ	Ⓤ	⑳
5	⑥	(2)	(18)	14.	(j)	(z)	Ⓟ	ⓕ	Ⓥ	①
6	⑦	(3)	(19)	15.	(k)	Ⓐ	Ⓠ	ⓖ	Ⓦ	②
7	⑧	(4)	(20)	16.	(l)	Ⓑ	Ⓡ	ⓗ	Ⓧ	③
8	⑨	(5)	1.	17.	(m)	Ⓒ	Ⓢ	Ⓢ	Ⓨ	④
9	⑩	(6)	2.	18.	(n)	Ⓓ	Ⓣ	Ⓣ	Ⓩ	⑤
A	⑪	(7)	3.	19.	(o)	Ⓔ	Ⓤ	Ⓚ	ⓐ	⑥
B	⑫	(8)	4.	20.	(p)	Ⓕ	Ⓥ	Ⓛ	ⓑ	⑦
C	⑬	(9)	5.	(a)	(q)	Ⓖ	Ⓦ	Ⓧ	Ⓝ	⑧
D	⑭	(10)	6.	(b)	(r)	Ⓗ	Ⓧ	Ⓨ	ⓔ	⑨
E	⑮	(11)	7.	(c)	(s)	Ⓘ	Ⓨ	Ⓩ	ⓕ	⑩
F	⑯	(12)	8.	(d)	(t)	Ⓡ	Ⓩ	ⓐ	ⓖ	⑪

Geometric Shapes (25A0-25FF)

Junicode implements only one of these symbols, for compatibility with existing fonts.

	25C
0	
1	
2	
3	
4	
5	
6	
7	
8	
9	
A	◊
B	
C	
D	
E	
F	

Dingbats (2700-27BF)

Unicode implements a few symbols to complete a series in “Enclosed Alphanumerics.” One symbol (271D) selected by MUFI is missing; it will be included in a future version.

	271	277
0		
1		
2		
3		
4		
5		
6		①
7		②
8		③
9		④
A		⑤
B		⑥
C		⑦
D		⑧
E		⑨
F		⑩

Miscellaneous Mathematical Symbols- A (27C0-27EF)

	27C	27D	27E
0			
1			
2			
3			
4			
5			
6			
7			
8			
9			
A			
B			
C			
D			
E			
F			

Private Use Area

MUFI divides the Private Use Area into subranges, though the contents of these need not have contiguous code points.

1. Ligatures

Glyph	Code point	Descriptions
Æ	EF90	LATIN CAPITAL LIGATURE AA
æ	EF91	LATIN SMALL LIGATURE AA
Ɔ	EF92	LATIN CAPITAL LIGATURE AO
œ	EF93	LATIN SMALL LIGATURE AO
Ȧ	EF94	LATIN CAPITAL LIGATURE AU
au	EF95	LATIN SMALL LIGATURE AU
Ȧ	EF96	LATIN CAPITAL LIGATURE AV
av	EF97	LATIN SMALL LIGATURE AV
Ȧ	EF98	LATIN CAPITAL LIGATURE AV WITH STROKE
av	EF99	LATIN SMALL LIGATURE AV WITH STROKE
Ȧ	EF9A	LATIN CAPITAL LIGATURE AY
ay	EF9B	LATIN SMALL LIGATURE AY
ł	EF9C	LATIN SMALL LETTER BROKEN L

2. Small Capitals

The use of these small capitals is not recommended in Junicode. Rather, consider using the small caps in the subrange used for that purpose by fonts from Adobe (starting at U+F761). Some OpenType-aware applications may automatically use characters from this subrange when small caps are requested.

Glyph	Code point	Description
F	EF05	LATIN LETTER SMALL CAPITAL F
Q	EF0C	LATIN LETTER SMALL CAPITAL Q
S	EF0E	LATIN LETTER SMALL CAPITAL S

Glyph	Code point	Description
x	EF11	LATIN LETTER SMALL CAPITAL X
ƿ	EF15	LATIN LETTER SMALL CAPITAL THORN

3. Enlarged Minuscles

Glyph	Code point	Description
a	EEE0	LATIN ENLARGED LETTER SMALL A
b	EEE1	LATIN ENLARGED LETTER SMALL B
c	EEE2	LATIN ENLARGED LETTER SMALL C
d	EEE3	LATIN ENLARGED LETTER SMALL D
ð	EEE4	LATIN ENLARGED LETTER UNCIAL D
ð	EEE5	LATIN ENLARGED LETTER SMALL ETH
e	EEE6	LATIN ENLARGED LETTER SMALL E
f	EEE7	LATIN ENLARGED LETTER SMALL F
g	EEE8	LATIN ENLARGED LETTER SMALL G
h	EEE9	LATIN ENLARGED LETTER SMALL H
i	EEEE	LATIN ENLARGED LETTER SMALL I
j	EEEB	LATIN ENLARGED LETTER SMALL J
k	EEEC	LATIN ENLARGED LETTER SMALL K
l	EEED	LATIN ENLARGED LETTER SMALL L
m	EEEE	LATIN ENLARGED LETTER SMALL M
n	EEEF	LATIN ENLARGED LETTER SMALL N
o	EEF0	LATIN ENLARGED LETTER SMALL O
p	EEF1	LATIN ENLARGED LETTER SMALL P
q	EEF2	LATIN ENLARGED LETTER SMALL Q
r	EEF3	LATIN ENLARGED LETTER SMALL R
s	EEF4	LATIN ENLARGED LETTER SMALL S
t	EEF5	LATIN ENLARGED LETTER SMALL T
þ	EEF6	LATIN ENLARGED LETTER SMALL THORN

Glyph	Code point	Description
u	EEF7	LATIN ENLARGED LETTER SMALL U
v	EEF8	LATIN ENLARGED LETTER SMALL V
w	EEF9	LATIN ENLARGED LETTER SMALL W
x	EEFA	LATIN ENLARGED LETTER SMALL X
y	EEFB	LATIN ENLARGED LETTER SMALL Y
z	EEFC	LATIN ENLARGED LETTER SMALL Z

4. Baseline Abbreviation Characters

Glyph	Code point	Description
9	F156	LATIN ABBREVIATION SIGN CON
Ŷ	F142	LATIN ABBREVIATION LARGE SIGN ET
Ʒ	F158	LATIN ABBREVIATION SIGN ET WITH STROKE
ꝛ	F154	LATIN ABBREVIATION SIGN RUM
Ɔ	F159	LATIN ABBREVIATION SIGN DE
Ɔ	F15A	LATIN ABBREVIATION SIGN IS
3	F155	LATIN ABBREVIATION SIGN FINAL ET
9	F151	SPACING ABBREVIATION MARK SUPERSCRIPT US

5. Modified Baseline Abbreviation Characters

Note that the deprecated code points listed in this table will be removed in Junicode version 0.7.

Glyph	Code point	Description
Ɔ	E734	LATIN SMALL LIGATURE THORN AND LONG S
Ɔ	E7C7	LATIN SMALL LIGATURE H AND LONG S WITH STROKE
Ɔ	E7C8	LATIN SMALL LIGATURE K AND LONG S WITH STROKE
Ɔ	E735	LATIN SMALL LIGATURE THORN AND LONG S WITH STROKE
Ɔ	E7C5	LATIN SMALL LETTER K WITH STROKE
Ɔ	F14B	Use E7C5 for compatibility with other MUFI fonts

Glyph	Code point	Description
þ	E73B	LATIN SMALL LETTER THORN WITH STROKE
f	E7FF	LATIN SMALL LETTER LONG S WITH STROKE
P	E270	LATIN CAPITAL LETTER P WITH STROKE THROUGH DESCENDER
Ɔ	F144	Use E270 for compatibility with other MUFI fonts
p	E670	LATIN SMALL LETTER P WITH STROKE THROUGH DESCENDER
Ɔ	F145	Use E670 for compatibility with other MUFI fonts
q	E68A	LATIN SMALL LETTER Q WITH STROKE THROUGH DESCENDER
q	F14D	Use E68A for compatibility with other MUFI fonts
þ	E7A0	LATIN SMALL LETTER THORN WITH STROKE THROUGH DESCENDER
Ɔ	E27D	LATIN CAPITAL LETTER P WITH FLOURISH
Ɔ	F146	Use E27D for compatibility with other MUFI fonts
p	E67D	LATIN SMALL LETTER P WITH FLOURISH
p	F147	Use E67D for compatibility with other MUFI fonts

6. Combining Marks

Glyph	Code point	Description
ø	F1C0	COMBINING ABBREVIATION MARK BAR ABOVE WITH DOT
ø	F152	COMBINING ABBREVIATION MARK SUPERSCRIPT ER (ZIG-ZAG SIGN)
ø	F157	COMBINING ABBREVIATION MARK SUPERSCRIPT RA (OMEGA SIGN)
ø	F1C1	COMBINING ABBREVIATION MARK SUPERSCRIPT RA WITH BAR ABOVE
ø	F153	COMBINING ABBREVIATION MARK SUPERSCRIPT UR (2-SIGN)
ø	F1C2	COMBINING ABBREVIATION MARK SUPERSCRIPT UR (8-SIGN)
ø	F1C3	COMBINING ABBREVIATION MARK SUPERSCRIPT UR (OPEN 8-SIGN)
ø	F15B	COMBINING ABBREVIATION MARK SUPERSCRIPT US (9-SIGN)
øø	F163	COMBINING CIRCUMFLEX OVER TWO CHARACTERS
ø	F1C4	COMBINING CURL
ø	F1C5	COMBINING CURL HIGH POSITION
ø	F1C6	COMBINING FLOURISH

7. Combining Superscript Characters

Several characters in this subrange have not yet been implemented.

Glyph	Code point	Description
ø̃	F011	COMBINING LATIN SMALL LETTER AE
ò̃	F012	COMBINING LATIN SMALL LETTER B
Ò̃	F013	COMBINING LATIN LETTER SMALL CAPITAL B
ø̄	F014	COMBINING LATIN SMALL LETTER ETH
Ð̄	F016	COMBINING LATIN LETTER SMALL CAPITAL D
ò̆	F017	COMBINING LATIN SMALL LETTER F
ò̇	F018	COMBINING LATIN SMALL LETTER G
Ò̇	F019	COMBINING LATIN LETTER SMALL CAPITAL G
ò̈	F01B	COMBINING LATIN SMALL LETTER K
Ò̈	F01C	COMBINING LATIN LETTER SMALL CAPITAL K
ò̉	F01D	COMBINING LATIN SMALL LETTER L
Ò̉	F01E	COMBINING LATIN LETTER SMALL CAPITAL L
Ò̊	F020	COMBINING LATIN LETTER SMALL CAPITAL M
ò̋	F021	COMBINING LATIN SMALL LETTER N
	F023	COMBINING LATIN LETTER SMALL CAPITAL N
	F025	COMBINING LATIN SMALL LETTER P
	F026	COMBINING LATIN LETTER SMALL CAPITAL R
	F027	COMBINING LATIN SMALL LETTER S
	F028	COMBINING LATIN SMALL LETTER LONG S
	F02A	COMBINING LATIN LETTER SMALL CAPITAL T
	F02B	COMBINING LATIN SMALL LETTER Y
	F02C	COMBINING LATIN SMALL LETTER Z

8. Punctuation Marks

Glyph	Code point	Description
¿	F160	PUNCTUATION MARK PUNCTUS INTERROGATIVUS
¸	F161	PUNCTUATION MARK PUNCTUS ELEVATUS
	F1F0	PUNCTUATION MARK PUNCTUS ELEVATUS DIAGONAL STROKE
	F1F1	QUESTION MARK HORIZONTAL 8 FORM
	F1F2	PUNCTUATION MARK DIAERESIS ABOVE COMMA
	F1F3	PUNCTUATION MARK BREVE ABOVE DOT

9. Critical and epigraphical signs

Glyph	Code point	Description
	F1D2	LEFT UPPER HALF SQUARE BRACKET
	F1D3	RIGHT UPPER HALF SQUARE BRACKET
	F1D4	LEFT LOWER HALF SQUARE BRACKET
	F1D5	RIGHT LOWER HALF SQUARE BRACKET
\	F16E	LEFT UPPER SLANTED STROKE
/	F16F	RIGHT UPPER SLANTED STROKE
	F1D6	LEFT LOWER SLANTED STROKE
	F1D7	RIGHT LOWER SLANTED STROKE

10. Metrical symbols

Glyph	Code point	Description
	F70A	METRICAL SYMBOL ANCEPS
	F70B	METRICAL SYMBOL ANCEPS WITH ACUTE
	F719	METRICAL SYMBOL ANCEPS WITH DOUBLE ACUTE
	F70C	METRICAL SYMBOL ANCEPS WITH GRAVE
	F71A	METRICAL SYMBOL ANCEPS WITH DOUBLE GRAVE
	F701	METRICAL SYMBOL BREVE

Glyph	Code point	Description
	F706	METRICAL SYMBOL BREVE WITH ACUTE
	F717	METRICAL SYMBOL BREVE WITH DOUBLE ACUTE
	F707	METRICAL SYMBOL BREVE WITH GRAVE
	F718	METRICAL SYMBOL BREVE WITH DOUBLE GRAVE
	F700	METRICAL SYMBOL LONGUM
	F704	METRICAL SYMBOL LONGUM WITH ACUTE
	F715	METRICAL SYMBOL LONGUM WITH DOUBLE ACUTE
	F705	METRICAL SYMBOL LONGUM WITH GRAVE
	F716	METRICAL SYMBOL LONGUM WITH DOUBLE GRAVE
	F702	METRICAL SYMBOL BREVE ABOVE LONGUM
	F703	METRICAL SYMBOL LONGUM ABOVE BREVE
	F708	METRICAL SYMBOL BREVE ABOVE LONGUM WITH ACUTE
	F709	METRICAL SYMBOL BREVE ABOVE LONGUM WITH GRAVE
	F71B	METRICAL SYMBOL RESOLVED LIFT WITH ACUTE
	F71C	METRICAL SYMBOL RESOLVED LIFT WITH DOUBLE ACUTE
	F714	METRICAL SYMBOL PAUSE
	F743	COMBINING DOUBLE BREVE BELOW

11-14. Reserved

15. Characters with macron or overline

None implemented yet.

16. Characters with acute accent

Glyph	Code point	Description
	EFE0	LATIN CAPITAL LIGATURE AA WITH ACUTE
	EFE1	LATIN SMALL LIGATURE AA WITH ACUTE
	EFE2	LATIN CAPITAL LIGATURE AO WITH ACUTE

Glyph	Code point	Description
	EFE3	LATIN SMALL LIGATURE AO WITH ACUTE
	EFE4	LATIN CAPITAL LIGATURE AU WITH ACUTE
	EFE5	LATIN SMALL LIGATURE AU WITH ACUTE
	EFE6	LATIN CAPITAL LIGATURE AV WITH ACUTE
	EFE7	LATIN SMALL LIGATURE AV WITH ACUTE
	E099	LATIN CAPITAL LETTER E WITH OGONEK AND ACUTE
	E499	LATIN SMALL LETTER E WITH OGONEK AND ACUTE
	E153	LATIN CAPITAL LETTER J WITH ACUTE
	E553	LATIN SMALL LETTER J WITH ACUTE
	E20C	LATIN CAPITAL LETTER O WITH OGONEK AND ACUTE
Ó	F190	LATIN CAPITAL LETTER O WITH OGONEK AND ACUTE
	E60C	LATIN SMALL LETTER O WITH OGONEK AND ACUTE
ó	F191	LATIN SMALL LETTER O WITH OGONEK AND ACUTE
	E257	LATIN CAPITAL LETTER O WITH STROKE AND OGONEK AND ACUTE
	E657	LATIN SMALL LETTER O WITH STROKE AND OGONEK AND ACUTE
	EFE8	LATIN CAPITAL LIGATURE OO WITH ACUTE
	EFE9	LATIN SMALL LIGATURE OO WITH ACUTE
	E33A	LATIN CAPITAL LETTER V WITH ACUTE
	E73A	LATIN SMALL LETTER V WITH ACUTE

17. Characters with double acute accent

None implemented yet.

18. Characters with dot above

None implemented yet.

19. Characters with dot below

None implemented yet.

20. Characters with diaeresis

None implemented yet.

21. Characters with hook above

None implemented yet.

22. Characters with ogonek

None implemented yet.

23. Characters with breve

Glyph	Code point	Description
	E03F	LATIN CAPITAL LIGATURE AE WITH BREVE
Æ	F1C3	LATIN CAPITAL LIGATURE AE WITH BREVE
	E43F	LATIN SMALL LIGATURE AE WITH BREVE
æ	F13D	LATIN SMALL LIGATURE AE WITH BREVE
	E376	LATIN CAPITAL LETTER Y WITH BREVE
ÿ	F140	LATIN CAPITAL LETTER Y WITH BREVE
	E776	LATIN SMALL LETTER Y WITH BREVE
ÿ	F141	LATIN SMALL LETTER Y WITH BREVE

24. Characters with macron and breve

Glyph	Code point	Description
	E010	LATIN CAPITAL LETTER A WITH MACRON AND BREVE
	E410	LATIN SMALL LETTER A WITH MACRON AND BREVE
ā	F171	LATIN SMALL LETTER A WITH MACRON AND BREVE
	E03D	LATIN CAPITAL LIGATURE AE WITH MACRON AND BREVE
	E43D	LATIN SMALL LIGATURE AE WITH MACRON AND BREVE
ǣ	F173	LATIN SMALL LIGATURE AE WITH MACRON AND BREVE
	E0B7	LATIN CAPITAL LETTER E WITH MACRON AND BREVE
	E4B7	LATIN SMALL LETTER E WITH MACRON AND BREVE

Glyph	Code point	Description
ě	F175	LATIN SMALL LETTER E WITH MACRON AND BREVE
	E137	LATIN CAPITAL LETTER I WITH MACRON AND BREVE
	E537	LATIN SMALL LETTER I WITH MACRON AND BREVE
ĩ	F177	LATIN SMALL LETTER I WITH MACRON AND BREVE
	E21B	LATIN CAPITAL LETTER O WITH MACRON AND BREVE
	E61B	LATIN SMALL LETTER O WITH MACRON AND BREVE
õ	F179	LATIN SMALL LETTER O WITH MACRON AND BREVE
	E30B	LATIN CAPITAL LETTER U WITH MACRON AND BREVE
	E70B	LATIN SMALL LETTER U WITH MACRON AND BREVE
ũ	F17B	LATIN SMALL LETTER U WITH MACRON AND BREVE
	E375	LATIN CAPITAL LETTER Y WITH MACRON AND BREVE
	E775	LATIN SMALL LETTER Y WITH MACRON AND BREVE
ÿ	F17D	LATIN SMALL LETTER Y WITH MACRON AND BREVE

25. Characters with macron and acute

Glyph	Code point	Description
	E00A	LATIN CAPITAL LETTER A WITH MACRON AND ACUTE
	E40A	LATIN SMALL LETTER A WITH MACRON AND ACUTE
á	F181	LATIN SMALL LETTER A WITH MACRON AND ACUTE
	E03A	LATIN CAPITAL LIGATURE AE WITH MACRON AND ACUTE
	E43A	LATIN SMALL LIGATURE AE WITH MACRON AND ACUTE
ǣ	F183	LATIN SMALL LIGATURE AE WITH MACRON AND ACUTE
é	F185	Use 1E17 from the Latin Extended Additional range.
	E135	LATIN CAPITAL LETTER I WITH MACRON AND ACUTE
	E535	LATIN SMALL LETTER I WITH MACRON AND ACUTE
í	F187	LATIN SMALL LETTER I WITH MACRON AND ACUTE
ó	F189	Use 1E53 from the Latin Extended Additional range.
	E309	LATIN CAPITAL LETTER U WITH MACRON AND ACUTE

Glyph	Code point	Description
	E709	LATIN SMALL LETTER U WITH MACRON AND ACUTE
ú	F18B	LATIN SMALL LETTER U WITH MACRON AND ACUTE
	E373	LATIN CAPITAL LETTER Y WITH MACRON AND ACUTE
	E773	LATIN SMALL LETTER Y WITH MACRON AND ACUTE
ý	F18D	LATIN SMALL LETTER Y WITH MACRON AND ACUTE

26-29. Reserved

30. Nordic

Glyph	Code point	Description
	F200	LATIN SMALL LETTER INSULAR A
	F201	LATIN ENLARGED SMALL LETTER INSULAR A
	F202	LATIN SMALL LETTER A OPEN FORM
	F203	LATIN SMALL LETTER A CLOSED FORM
	F204	LATIN SMALL LIGATURE AE WITH MISSING BOTTOM STROKE
	F205	LATIN CAPITAL LIGATURE AO NECKLESS
	F206	LATIN SMALL LIGATURE AO NECKLESS
ð	F109	LATIN LETTER UNCIAL D
€	F10A	LATIN LETTER UNCIAL E
	F10C	LATIN CAPITAL LETTER INSULAR F
ƒ	F10D	LATIN SMALL LETTER INSULAR F
	F207	LATIN SMALL LETTER INSULAR F CLOSED FORM
h	F110	LATIN CAPITAL LETTER INSULAR H
	E55C	LATIN SMALL LETTER J DOTLESS
j	F6BE	LATIN SMALL LETTER J DOTLESS
	F208	LATIN LETTER UNCIAL K
	F209	LATIN SMALL LETTER K CLOSED FORM
ƿ	F11A	LATIN LETTER UNCIAL M
	F20A	LATIN CAPITAL LIGATURE OO

Glyph	Code point	Description
	F20B	LATIN SMALL LIGATURE OO
	F20C	LATIN CAPITAL LIGATURE OE WITH MISSING BOTTOM STROKE
	F20D	LATIN SMALL LIGATURE OE WITH MISSING BOTTOM STROKE
	F20E	LATIN SMALL LETTER R ROTUNDA
ꝛ	F125	LATIN SMALL LETTER INSULAR R
ꝛ	F127	LATIN SMALL LETTER LONG S DESCENDING
ꝛ	F129	LATIN LETTER UNCIAL T
	F210	LATIN CAPITAL LETTER INSULAR V (VENTH)
	F211	LATIN SMALL LETTER INSULAR V (VENTH)
	F212	LATIN CAPITAL LIGATURE YY
	F213	LATIN SMALL LIGATURE YY

31. English

Note that a number of characters in the Nordic range also belong here.

Glyph	Code point	Descriptions
Æ	F13A	LATIN CAPITAL LETTER A SQUARE FORM
Ľ	F106	LATIN CAPITAL LETTER C SQUARE FORM
Ŧ	F1E0	LATIN CAPITAL LETTER G SQUARE FORM
	F10B	LATIN CAPITAL LETTER INSULAR G
Ƿ	F10F	LATIN SMALL LETTER INSULAR G
Œ	F126	LATIN CAPITAL LETTER S CLOSED FORM
ƒ	F14F	LATIN SMALL LETTER LONG S WITH DIAGONAL STROKE
þ	F149	LATIN SMALL LETTER THORN WITH DIAGONAL STROKE
ɖ	F193	LATIN SMALL LETTER D WITH TAIL
ɸ	F194	LATIN SMALL LETTER F WITH TAIL
ƙ	F195	LATIN SMALL LETTER K WITH TAIL
ƒ	F196	LATIN SMALL LETTER G WITH TAIL
ŷ	F197	LATIN SMALL LETTER Y WITH DOT AND ACUTE

Acknowledgments

Numerous people have alerted the lead developer to errors in Junicode. Denis Moyogo Jacquerye has contributed glyphs and OpenType features to improve support of African languages.